

# Safety Data Sheet

# Nikx Stikx

[www.nikxstikx.com](http://www.nikxstikx.com)

## 1. Identification

Product Name:	Nikx Stikx	Revision Date:	8/1/2017
Product Identifier:	N/A	Supersedes Date:	3/28/2017
Product Use/Class:	Lubricant/Lubricant		
Supplier:	Nikx Stikx 1802 Lake Drive Cardiff by the Sea, CA 92007, USA	Manufacturer:	Nikx Stikx 1802 Lake Drive Cardiff by the Sea, CA 92007 USA
Preparer:	ECA		
Emergency Telephone:	(760) 753-2150		

## 2. Hazard Identification

### EMERGENCY OVERVIEW

DANGER: MAY CAUSE SKIN IRRITATION. MAY CAUSE ALLERGIC SKIN REACTION. CAUSES SERIOUS EYE DAMAGE

SKIN IRRITATION	3
SERIOUS EYE DAMAGE	3
SKIN SENSITIZATION	3

### PICTOGRAM(S)



### PRECAUTIONARY STATEMENTS

**Prevention:** Avoid breathing vapors, mist, or spray. Wash affected area thoroughly after handling. Contaminated clothing should not be allowed out of the workplace. Wear protective gloves, eye protection, and face protection.

**Response:** IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: get medical attention. Take off contaminated clothing.

**Storage:** Not prescribed

**Disposal:** Dispose of contents and/or container according to Federal, State and local governmental regulations.

Classification complies with OSHA Hazard Communication Standard (29CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>HAZARDOUS SUBSTANCES</u>	<u>CAS-No.</u>	<u>Wt.% Range</u>
Petroleum Resins	64742-57-0	<1
Naphthenic distillate	64741-96-4	<50
Lard Oil	8016-28-2	<50
Paraffin Wax	64742-51-4	<50

### 4. First-aid Measures

**FIRST AID - EYE CONTACT:** Immediately flush eyes with plenty of water for at least 15 minutes holding eyelids open. Get medical attention. Do NOT allow rubbing of eyes or keeping eyes closed.

**FIRST AID - SKIN CONTACT:** Wash skin with soap and water. Remove contaminated clothing. Get medical attention if irritation develops or persists.

**FIRST AID - INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention. Do NOT use mouth-to-mouth resuscitation. If you experience difficulty in breathing, leave the area to obtain fresh air. If continued difficulty is experienced, get medical assistance immediately.

**FIRST AID - INGESTION:** Aspiration hazard: Do not induce vomiting or give anything by mouth because this material can enter the lungs and cause severe lung damage. Get immediate medical attention. If swallowed, get medical attention.

### 5. Fire-fighting Measures

**EXTINGUISHING MEDIA:** Alcohol Film Forming Foam, Carbon Dioxide, Dry Chemical, Dry Sand, Water Fog

**FIRE AND EXPLOSION HAZARDS:** FLASH POINT IS MORE THAN 300°F.. No unusual fire or explosion hazards noted. .

**SPECIAL FIREFIGHTING PROCEDURES:** None

## 6. Accidental Release Measures

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Scrape up as much material possible. Clean residue with soap and water. Dispose of according to local, state (provincial) and federal regulations. Do not incinerate. Dispose of container, and unused contents in accordance with local, state, and federal regulations.

## 7. Handling and Storage

HANDLING: Wash thoroughly after handling. Wash hands before eating. Remove contaminated clothing and launder before reuse. Use only with adequate ventilation. Avoid breathing fumes, vapors, or mist. Avoid contact with eyes, skin and clothing.

STORAGE: Keep containers closed. Isolate from heat, electrical equipment, sparks and open flame. Store large quantities in buildings designed and protected for storage of flammable products. Product should be stored in tightly sealed containers and protected from heat, moisture, and foreign materials. . Keep container closed when not in use. Keep away from heat, sparks, flame and sources of ignition. Avoid excess heat.

## 8. Exposure Controls/Personal Protection

Chemical Name	ACGIH TLV TWA	OSHA PEL	AIHA WEEL	OTHER
Petroleum resins			None	None
Naphthenic distillate	5 mg/m3 Inhalable fraction	5 mg/m3	None	None
Lard oil	N.E.	N.E.	None	None
Paraffin wax	N.E.	N.E.	None	None

### PERSONAL PROTECTION

#### ENGINEERING CONTROLS:

RESPIRATORY PROTECTION: A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use. A NIOSH/MSHA approved air purifying respirator with organic vapor cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits.

SKIN PROTECTION: Use gloves to prevent prolonged skin contact. Nitrile or Neoprene gloves may afford adequate skin protection.

EYE PROTECTION: Use safety eyewear designed to protect against splash of liquids.

OTHER PROTECTIVE EQUIPMENT: Refer to safety supervisor or industrial hygienist for further guidance regarding types of personal protective equipment and their applications.

HYGIENIC PRACTICES: Wash thoroughly with soap and water before eating, drinking or smoking. Remove contaminated clothing immediately and launder before reuse.

## 9. Physical and Chemical Properties

Appearance:	Paste	Physical State:	Semisolid
Odor:	N.D.	Odor Threshold:	N.E.
Relative Density:	0.850-0.950	pH:	N.A.
Freeze Point, °C:	N.D.	Viscosity:	N.D.
Partition Coefficient			
n-octanol/water	N.D.		
Solubility in water	ins.		
Decomposition Temp., °C:	N.D.		
Boiling Range, °C:	N.D.	Explosive Limits, vol%:	N.D.
Flammability:	Supports Combustion	Flash Point, °C:	>300 F
Evaporation Rate:	N.D.	Auto-ignition Temp., °C:	N.D.
Vapor Density:	N.D.	Vapor Pressure:	N.D.

## 10. Stability and Reactivity

CONDITIONS TO AVOID: Avoid temperatures above 300°F (148.88°C).

INCOMPATIBILITY: Incompatible with strong oxidizing agents.

HAZARDOUS DECOMPOSITION: By open flame, carbon monoxide and carbon dioxide. When heated to decomposition, it emits acrid smoke and irritating fumes.

HAZARDOUS POLYMERIZATION: Will not occur under normal conditions.

STABILITY: This product is stable under normal storage conditions.

## 11. Toxicological information

Relevant routes of exposure: Skin, inhalation, Eyes, Ingestion

Potential Health Effects/Symptoms

Inhalation:

Skin contact:

Eye contact:

Ingestion:

Hazardous Component (s)	LD50s and LC50s	Immediate and Delayed Health Effects
Petroleum Resins	N/A	no
Naphthenic distillate	Oral LD50 rat >5000 mg/kg Dermal LD50 rabbit >5000 mg/kg	no
Lard Oil	LD50 no data available	no
Paraffin Wax	Oral (rat) LD50 >5,000 mg/kg	no

Hazardous Component (s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen
Petroleum Resins	no	no	no
Naphthenic distillate	no	no	no
Lard Oil	no	no	no
Paraffin Wax	no	no	no

## 12. Ecological Information

ECOLOGICAL INFORMATION: Product is a mixture of listed components.

## 13. Disposal Information

DISPOSAL INFORMATION: Dispose of material in accordance to local, state, and federal regulations and ordinances. Do not allow to enter waterways, wastewater, soil, storm drains or sewer systems.

## 14. Transport Information

### Emergency Response Guide number

Not applicable

Transportation regulations

**DOT** Not regulated as a hazardous material for transportation.

**TDG** Not regulated as dangerous goods for transportation.

## 15. Regulatory Information

U.S. Federal Regulations:

CERCLA - SARA Hazard Category

Sara Section 313:

**Toxic Substances Control Act:**

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(b) if exported from the United States:

No TSCA 12(b) components exist in this product.

**16. Other Information****HMIS RATINGS**

Health: 2      Flammability: 2      Physical Hazard: 0      Personal Protection: X

**NFPA RATINGS**

Health: 2      Flammability: 2      Reactivity: 1

VOLATILE ORGANIC COMPOUNDS, g/L: 514

SDS REVISION DATE: 4/4/2017

**REASON FOR REVISION:**

Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined

NikxStikx Corporation believes, to the best of its knowledge, information and belief, the information contained herein to be accurate and reliable as of the date of this safety data sheet. However, because the conditions of handling, use, and storage of these materials are beyond our control, we assume no responsibility or liability for personal injury or property damage incurred by the use of these materials. NikxStikx Corporation makes no warranty, expressed or implied, regarding the accuracy or reliability of the data or results obtained from their use. All materials may present unknown hazards and should be used with caution. The information and recommendations in this material safety data sheet are offered for the users' consideration and examination. It is the responsibility of the user to determine the final suitability of this information and to comply with all applicable international, federal, state, and local laws.